

FLEX TILE LTD
Material Safety Data Sheet

38 FAST-SET FLOOR TILE ADHESIVE.

Material Identification and Use

MANUFACTURER/SUPPLIER'S NAME.....	FLEX TILE LTD.
MANUFACTURER'S ADDRESS.....	121-30TH STREET, ETOBICOKE, ONT. M8W 3C1
MANUFACTURER'S PHONE NUMBER.....	(416) 255-1111 TollFree 1-800-699-3623 FAX: (416) 255-1729
IN CASE OF CHEMICAL EMERGENCY.....	CALL CANUTEC (631) 996-6666
PRODUCT IDENTIFIER.....	38 FAST-SET FLOOR TILE ADHESIVE.
PRODUCT USE.....	VINYL FLOOR TILE INSTALLATION.
WHMIS CLASSIFICATION.....	NOT A CONTROLLED PRODUCT.

Hazardous Ingredients of Materials

CHEMICAL IDENTITY	CONCENTRATION	CAS#/NA#/UN#	OSHA (PEL)	ACGIH (TLV-TWA)
THIS PRODUCT CONTAINS NO HAZARDOUS INGREDIENT AS DEFINED BY US OSHA HAZARD COMMUNICATION STANDARD - 29 CFR 1910.1200 OR SECTION 13 OF THE CANADIAN HAZARDOUS PRODUCT ACT.				

All ingredients are listed within or exempted from US TSCA and Canadian DSL.

Physical Data For Product

PHYSICAL STATE.....	LIQUID		
ODOUR AND APPEARANCE.....	MILD ODOUR, BROWNISH BLACK VISCOUS LIQUID		
SPECIFIC GRAVITY.....	1.01		
VAPOUR PRESSURE.....	AS FOR WATER	VAPOUR DENSITY (air=1).....	N/D
EVAPORATION RATE.....	SAME A WATER	BOILING POINT.....	100 ⁰ C (212 ⁰ F)
FREEZING POINT.....	N/D	pH.....	11
DENSITY (g/ml).....	N/D		
CALCULATED VOC.....	< 15 gm/litre		

Fire and Explosion Hazard of Product

CONDITIONS OF FLAMMABILITY.....	NON-COMBUSTIBLE
MEANS OF EXTINCTION.....	Will not burn except under extreme temperature. Water spray, CO ₂ , dry chemical or foam
FLASHPOINT.....	>212 ⁰ F (100 ⁰ C)
UPPER EXPLOSION LIMIT (% BY VOL)..	N/D
LOWER EXPLOSION LIMIT (% BY VOL)..	N/D
AUTO-IGNITION TEMPERATURE.....	N/D
HAZARDOUS COMBUSTION PRODUCTS.....	CO ₂ , CO, FUMES
EXPLOSION DATA.....	N/D
SENSITIVITY TO STATIC DISCHARGE...	N/D
SPECIAL FIRE FIGHTING PROCEDURES....	Wear standard fire fighting gear with self-contained breathing apparatus.

Reactivity Data

CHEMICAL STABILITY.....	STABLE
INCOMPATIBLE MATERIALS.....	ACIDIC MATERIALS
CONDITIONS TO AVOID.....	NONE KNOWN
HAZARDOUS DECOMPOSITION PRODUCTS..	CO, CO ₂ , SMOKE ON COMBUSTION.
POLYMERIZATION.....	WILL NOT OCCUR

38 FAST SET FLOOR TILE ADHESIVE

Toxicological Properties of Product

ROUTES OF ENTRY

SKIN CONTACT.....	MAY CAUSE IRRITATION ON PROLONGED CONTACT.
SKIN ABSORPTION.....	N/D
EYE.....	MAY CAUSE IRRITATION.
INHALATION.....	MAY CAUSE DISCOMFORT
INGESTION.....	MAY CAUSE DISCOMFORT.
ACUTE OVER EXPOSURE EFFECTS.....	... AS ABOVE.
CHRONIC OVER EXPOSURE EFFECTS.....	N/D
EXPOSURE LIMITS.....	N/D
IRRITANCY OF PRODUCT.....	N/D
SENSITIZATION TO MATERIAL.....	N/D
CARCINOGENICITY, REPRODUCTIVE EFFECTS.....	N/D
TERATOGENICITY, MUTAGENICITY.....	N/D
TOXICOLOGICALLY SYNERGISTIC PRODUCTS.....	N/D

Preventive Measures

PERSONAL PROTECTIVE EQUIPMENT.....	RUBBER GLOVES.
VENTILATION.....	ADEQUATE VENTILATION
LEAK AND SPILL PROCEDURES.....	ABSORB WITH PAPER, SAND OR SAWDUST. PUT INTO APPROVED WASTE CONTAINER.
WASTE DISPOSAL.....	DISPOSE IN ACCORDANCE WITH MUNICIPAL, PROVINCIAL AND FEDERAL REGULATIONS.
HANDLING PROCEDURES AND EQUIPMENT.	
STORAGE REQUIREMENTS.....	STORE AT 60-95 ⁰ F (15-35 ⁰ C) AND OUT OF THE SUN. USE ADEQUATE VENTILATION TO AVOID BREATHING VAPOURS WHEN COVER IS REMOVED. PROTECT FROM FREEZING.
SPECIAL SHIPPING INFORMATION.....	NOT REGULATED

First Aid Measures

SPECIFIC FIRST AID PROCEDURES.....	IMMEDIATELY FLUSH EYES WITH ABUNDANT WATER FOR AT LEAST
15 MINUTES, FORCIBLY HOLDING EYELIDS APART. SEEK MEDICAL ATTENTION. IN CASE OF INHALATION, REMOVE TO FRESH AIR. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. IN CASE OF SKIN CONTACT, REMOVE ANY CONTAMINATED CLOTHING AND WASH AFFECTED AREA WITH SOAP & WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. IN CASE OF INGESTION, DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION.	

Preparation Date of Material Safety Data Sheet

PREPARED BY.....	ADHESIVE CHEMIST
PHONE NUMBER OF PREPARER.....	416-255-1111 FAX: 416-255-1729
DATE PREPARED.....	10 August 2009

Flextile Ltd. assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Additionally, Flextile Ltd., assumes no responsibility for injury to vendee or third persons proximately caused by abnormal use of the material even if reasonable safety procedures are followed. Furthermore, vendee assumes the risk in his use of the material.

...FLEXITILE LTD.

N/D = NOT DETERMINED